

# blogcard shortcode

2024-09-14

## Blogcard Extension For Quarto

blogcard shortcode makes easy to produce a card-like link.

### Installing

To use blogcard extension in your Quarto project, run this command in terminal at the project's working directory. This will install the extension under the `_extensions` subdirectory.

```
quarto add t-arae/blogcard
```

and then, apply blogcard filter by adding this lines into your yaml header of `.qmd` file.

```
filters:  
- blogcard
```

### How to use

To make a card by blogcard shortcode, write shortcode directive like this.

```
{{< blogcard https://quarto.org >}}
```

<https://quarto.org>

The first argument of blogcard shortcode will be used as the URL. You can also pass the URL through the keyword argument like this.

```
{{< blogcard url=https://quarto.org >}}  
or  
{{< blogcard url="https://quarto.org" >}}
```

<https://quarto.org>

### Template selection

```
{{< blogcard https://quarto.org tname="template2" >}}
```

<https://quarto.org>

## When no open graph protocol tags are found

blogcard shortcode uses the content of <meta> tag containing the open graph protocol (OGP), to make a card. If no OGP contents are found (or failed to get HTML contents), it makes a deadly simple card.

```
{{< blogcard https://example.com >}}
```

<https://example.com>

## Manually set the data

You can also set the contents manually through keyword arguments.

```
{{< blogcard https://example.com title="This is title" description="No  
description" image="https://via.placeholder.com/300x200" >}}
```

<https://example.com>